



EBARA

FP1OCT-R2

FIRE FIGHTING PUMP

Model FSPA and CNPA

Compliance to NFPA 20




CENTRIFUGAL FIRE PUMP-END SUCTION




CENTRIFUGAL FIRE PUMP-SPLIT CASE



ISO 9001:2000
Lic.No.QEC22090

SELECTION CHART
3000 min⁻¹
50Hz (Synchronous Speed 3000 min⁻¹)

MODEL CODE - 2 POLES - 50Hz

 16 bar version : H
 10 bar version : -


TECHNICAL DATA - IMPELLER AND COUPLING

2 POLES - 50 Hz 3000 rpm

MODEL	MOTOR		IMPELLER DIA mm	COUPLING CLA	SHAFT DIAMETER	
	POWER kW	FRAME No.			PUMP dP(mm)	MOTOR dM(mm)
50X40 FSHA	1.5	90S	143	112	24	24
	2.2	90L	160			
	3.7	112M	188			
	5.5	132S	208			
65X50 FSHA	3.7	112M	166	125	24	28
	5.5	132S	185			
	7.5	132S	207			
65X50 FSJA	11	160M	232	160	24	42
	15	160M	250			
80X65 FSGA	5.5	132S	157	160	24	38
	7.5	132S	173			
80X65 FSHA	11	160M	199	160	24	42
	15	160M	215			
80X65 FSJA	18.5	160L	240	160	32	42
	22	180MA	246			
100X80 FSGA	7.5	132S	147	180	24	38
	11	160M	167			
	15	160M	180			
100X80 FSHA	18.5	160L	201	160	32	42
	22	180MA	211			
100X80 FSJA	30	200LA	235	200	32	55
	37	200LA	254			
	45	225MA	269			
100X65 FSKA	55	250SA	286	224	38	60
	75	250MA	328			
100X80 FSGCA	18.5	160L	166	160	32	42
	22	180MA	178			
	30	200LA	193			
100X80 FSHCA	37	200LA	197	200	32	55
	45	225MA	205			
	55	250SA	223			
125X100 FSJCA	55	250SA	236	200	38	55
	75	250MA	273			
150X100 FSKA	75	250MA	278	224	42	60
	90	280SA	291			
	110	280MA	310			
	132	315SA	323			